

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 946 | flashlight with thermo\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/05 12:55 |
| | | work with light with thermo\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/05 12:51 |
| | | (116/207,216).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/09 14:35 |
| L2 | 1104 | (374/161,162).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/09 14:36 |
| S1 | 7 | ((("4717710") or ("4919983") or ("4957949") or ("5431697") or ("5720555") or ("6174319") or ("6241289"))).PN. | USPAT; USOCR | OR | OFF | 2002/06/11 07:59 |
| S2 | 0 | worklight with thermo\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/05 12:50 |
| S3 | 28 | thermochromic with warning | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/05 13:16 |
| S4 | 6 | matsui with international with company | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/05 13:32 |
| S5 | 5 | ((("4952033") or ("4878588") or ("2199981") or ("4538926") or ("5482373"))).PN. | USPAT; USOCR | OR | OFF | 2002/06/11 08:02 |
| S6 | 2 | GB-2199981-A.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 08:07 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S7 | 258 | (116/207).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/02/13 08:55 |
| S8 | 433 | (116/216).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/06/11 10:44 |
| S9 | 3 | ((("3893340") or ("3405678") or ("0339247"))).PN. | USPAT; USOCR | OR | OFF | 2002/06/11 10:44 |
| S10 | 788 | light with hot and "362"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 13:59 |
| S11 | 29 | light with hot and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:05 |
| S12 | 86 | light with heat and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:32 |
| S13 | 9 | heat with danger and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:24 |
| S14 | 2650 | light with heat and "362"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:33 |
| S15 | 21 | light with heat with danger and "362"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:37 |
| S16 | 23 | light with heat with touch and "362"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:46 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S17 | 1 | light with heat with touch and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:47 |
| S18 | 207 | light with heat with touch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:47 |
| S19 | 11 | light with heat with indicat\$4 and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:49 |
| S20 | 307 | heat with indicat\$4 and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 14:51 |
| S21 | 0 | metal with hot and "116"/\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:01 |
| S22 | 0 | cover with hot and "116"/\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:01 |
| S23 | 0 | hot with metal and "116"/\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:02 |
| S24 | 0 | heat with metal and "116"/\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:02 |
| S25 | 1295 | heat with metal with indicat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:04 |
| S26 | 0 | heat with metal with indicat\$4 and "362"/\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:05 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S27 | 0 | heat with metal with indicat\$4 near touch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:06 |
| S28 | 132 | metal with hot with touch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:17 |
| S29 | 113 | work with light with hot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:23 |
| S30 | 18 | work adj light with halogen | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:27 |
| S31 | 6 | work adj lamp with heat | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:31 |
| S32 | 20 | work adj light with heat | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:32 |
| S33 | 0 | work adj lamp with hot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:33 |
| S34 | 15 | work adj light with hot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:32 |
| S35 | 5720 | lamp with hot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:33 |
| S36 | 32 | lamp with hot with touch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:34 |

| | | | | | | |
|-----|-----|------------------------------|---|----|-----|------------------|
| S37 | 75 | light with hot with touch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:41 |
| S38 | 14 | light with hot with indicia | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:44 |
| S39 | 3 | lamp with hot with indicia | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:43 |
| S40 | 102 | light with heat with indicia | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:45 |
| S41 | 72 | lamp with heat with indicia | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/11 15:48 |
| S42 | 416 | (374/162).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/06/12 09:25 |
| S43 | 552 | kataoka-akira.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2002/06/12 09:27 |
| S44 | 2 | ("3893340").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/02/13 11:47 |
| S45 | 658 | (116/207,216).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/07/30 15:57 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S46 | 438 | (374/162).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/07/30 16:06 |
| S47 | 0 | (2002/0097777).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 12:33 |
| S48 | 2 | ("20020097777").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 12:38 |
| S49 | 27 | chromatic adj technologies | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 12:44 |
| S50 | 0 | chromatic-technologies.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 12:44 |
| S51 | 0 | chromatic-technologies-incorporate d.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 13:00 |
| S52 | 5 | chromatic-tech\$.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 12:45 |
| S53 | 103 | thermochromic and indicia and clear | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 13:05 |
| S54 | 2 | ("5499597").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/08 13:14 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S55 | 2 | gb-2328743-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:09 |
| S56 | 0 | ep adj "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:09 |
| S57 | 0 | epo with "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:09 |
| S58 | 0 | ep with "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:09 |
| S59 | 0 | epo with "625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:10 |
| S60 | 2 | ("4268413").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:10 |
| S61 | 0 | epoxy and moderator and thermochromic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:10 |
| S62 | 489 | epoxy and thermochromic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:11 |
| S63 | 17 | epoxy and thermochromic and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:11 |
| S64 | 22 | epoxy and thermochromic and "374"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:18 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S65 | 3 | (printed adj circuit adj board) and thermochromic and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:18 |
| S66 | 2 | (printed adj circuit adj board) and thermochromic and "374"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/26 18:19 |
| S67 | 28 | chromatic adj technologies | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:05 |
| S68 | 10 | lcd and display and (moderator or thermal) and "116"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:06 |
| S69 | 110 | lcd and display and (moderator or thermal) and "374"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:18 |
| S70 | 1431 | oven and warning | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:18 |
| S71 | 22 | oven and warning and thermochromic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:18 |
| S72 | 156 | (219/445.1).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:46 |
| S73 | 451 | (219/445.1,446.1,448.11).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:46 |
| S74 | 12 | thermochromic and ((219/445.1, 446.1,448.11).CCLS.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 17:49 |

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S75 | 16 | (liquid adj crystal) and ((219/445.1, 446.1,448.11).CCLS.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 18:14 |
| S76 | 580 | (liquid adj crystal) and hot and appliance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 18:15 |
| S77 | 2 | ("4268413").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:07 |
| S78 | 2 | gb-2328743-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:08 |
| S79 | 0 | ep with "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:08 |
| S80 | 0 | epo with "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:08 |
| S81 | 0 | epo and "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:08 |
| S82 | 0 | ep and "0625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:08 |
| S83 | 7 | ep and "625700" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/07 16:08 |
| S16 1 | 2 | ((("6104007") or ("4983810")).PN. | USPAT | OR | OFF | 2005/01/10 14:06 |

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S16 2 | 9 | liquid adj crystal with ink and "116"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/10 14:08 |
| S16 3 | 9 | thermochromic adj liquid adj crystal with ink | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/10 14:08 |
| S16 4 | 4 | thermochromic adj coating adj composition | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 10:52 |
| S16 5 | 75 | thermochromic adj substance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 10:58 |
| S16 7 | 1694 | thermochromic and heat | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:04 |
| S16 8 | 204 | thermochromic and heat and label | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:22 |
| S17 9 | 91 | thermochromic and heat and tool | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:22 |
| S18 0 | 48 | thermochromic and heat and hot and tool | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:23 |

| | | | | | | |
|----------|-------|--|---|----|-----|------------------|
| S18 1 | 48 | thermochromic and heat and hot and tool | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:24 |
| S18 5 | 85266 | high adj temperature and (tool machine) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:37 |
| S18 6 | 4812 | high adj temperature and (tool machine) and indicator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:37 |
| S18 7 | 1031 | high adj temperature and (tool machine) and indicator and label | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:38 |
| S18 8 | 15 | high adj temperature and (tool machine) and indicator and label and "116"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 11:38 |
| S18 9 | 36 | telatemp | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/24 14:03 |
| S19 3 | 16 | telatemp.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/24 14:04 |
| S19 4 | 8 | telatemp and label | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/24 14:04 |
| S19 6 | 0 | thermachromic adj coating | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/24 14:18 |

| | | | | | | |
|----------|-----|---------------------------------|------------------------------|----|-----|------------------|
| S19 7 | 81 | thermochromic adj coating | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/24 14:27 |
| S19 8 | 187 | thermochromic adj ink | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/24 14:27 |
| S19 9 | 56 | thermochromic adj ink and label | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/24 14:27 |